Issue date: 2018/11/19 Code : E1300

# MATERIAL SAFETY DATA SHEET

IDENTITY: MagDEA Dx SV

## 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

PRODUCT NAME	:	MagDEA Dx SV	
MANUFACTURER	:	Precision System Science Co.,Ltd.	
Address	:	88, Kamihongou, Matsudo-shi, Chiba 271-0064	JAPAN
Telephone Number			
For Information	:	+81-47-303-4801	
Emergency	:	+81-47-303-4800	
E-Mail	:	service@pss.co.jp	
MSDS No.	:	MSDS-E1300-E-02	

# 2. HAZARDS IDENTIFICATION

Well	REAGENT	SINGLE/	GHS CL	GHS CLASSIFICATION			
No.	NAME	MIXTURE	Class	Category	Symbol	H-Code	
			Acute toxicity (oral)	4		H302	
			Skin corrosion/ irritation	2	$\langle : \rangle$	H315	
			Serious eye damage / eye	2		H319	
1	Lysis Solution	Mixture	irritation		¥.		
-	Lysis colution	Mixture	Specific target organ systemic	3	<u></u>	H335	
			toxicity - single exposure		× .		
			Hazardous to the aquatic	1		H400, H410	
			environment				
2	PK solution	MIxture	Not classifiable	-	-	-	
3	Carrier		Not classifiable	-	-	-	
3	solution	Mixture					
4	Magnetic	Mixture	Not classifiable	-	-	-	
-	particles	WIXUUE					
			Flammable liquids	2		H225	
			Serious eye damage / eye	2		H319	
			irritation				
5,	Binding buffer		Reproductive toxicity	2		H361	
6,	Wash buffer 1	Mixture	Specific target organ systemic	1, 3	· · · /	H370, H335	
7	Wash buffer 2		toxicity - single exposure		Å		
			Specific target organ systemic	1, 2		H372, H373	
			toxicity - Repeated exposure		$\mathbf{\nabla}$		
8	Distilled water	Single	Not classifiable	-	-	-	

## SIGNAL WORD: Danger HAZARD STATEMENTS :

Highly flammable liquid and vapor

Causes serious eye irritation

Suspected of damaging fertility or the unborn child

Causes damage to organs

May cause respiratory irritation

Causes damage to organs through prolonged or repeated exposure

May cause damage to organs through prolonged or repeated exposure

Harmful if swallowed

Causes skin irritation

Very toxic to aquatic life

Very toxic to aquatic life with long-lasting effects

Well	REAGENT	SINGLE/	P-code	Precautionary statement																	
No.	NAME	MIXTURE	1 0000																		
			P261	Avoid breathing dust/fume/gas/mist/vapors/spray.																	
			P264	Wash hands thoroughly after handling.																	
			P270	Do not eat, drink or smoke when using this product.																	
			P271	Use only outdoors or in a well-ventilated area.																	
			P273	Avoid release to the environment.																	
			P280	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.																	
			P301+P312	IF ON SKIN: Wash with plenty of soap and water.																	
			P302+P352	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.																	
		MIXTURE	MIXTURE	MIXTURE	MIXTURE	MIXTURE	MIXTURE	MIXTURE	MIXTURE	MIXTURE			P304+P340	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.							
											P305+P351+P338	Call a POISON CENTER or doctor/physician if you feel unwell.									
1	Lysis Solution										MIXTURE	MIXTURE	MIXTURE	MIXTURE	MIXTURE	P312	Specific treatment.				
	Column		P321	Rinse mouth.																	
																				P330	If skin irritation occurs: Get medical advice/attention.
						P332+P313	If eye irritation persists: Get medical advice/attention.														
			P337+P313	Take off contaminated clothing.																	
			P362	Collect spillage.																	
										P391	Store locked up.										
																					P403+P233
																	P405	Dispose of contents/container according to national regulation.			
			P501	Avoid breathing dust/fume/gas/mist/vapors/spray.																	

#### PRECAUTIONARY STATEMENTS:

# Precision System Science Co.,Ltd. Code : E1300

MSDS No. : MSDS-E1300-E-03

1	I	I		
			P201	Obtain special instructions before use.
			P202	Do not handle until all safety precautions have been read and understood.
			P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
			P233	Keep container tightly closed.
			P240	Ground/bond container and receiving equipment.
			P241	Use explosion-proof electrical/ventilating/lighting equipment.
			P242	Use only non-sparking tools.
			P243	Take precautionary measures against static discharge.
			P260	Do not breathe dust/fume/gas/mist/vapours/spray.
			P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
			P264	Wash hands thoroughly after handling.
			P270	Do not eat, drink or smoke when using this product.
			P271	Use only outdoors or in a well-ventilated area.
			P280	Wear protective gloves/protective clothing/eye protection/face protection.
5, 6	Binding buffer Wash buffer	MIXTURE	P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
6, 7	1 Wash buffer		P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	2		P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
			P308+P311	If exposed or concerned: Call a POISON CENTER/ doctor/physician.
			P308+P313	IF exposed or concerned: Get medical advice/attention.
			P312	Call a POISON CENTER or doctor/physician if you feel unwell.
			P314	Get medical advice/attention if you feel unwell.
			P321	Specific treatment.
			P337+P313	If eye irritation persists: Get medical advice/attention.
			P370+P378	In case of fire: Use carbon dioxide, foam, dry chemical and water fog to extinction.
			P403+P233	Store in a well-ventilated place. Keep container tightly closed.
			P403+P235	Store in a well-ventilated place. Keep cool.
				P405
			P501	Dispose of contents/container according to national regulation.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Well 1 : Lysis Solution

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
Guanidine Hydrochloride	50-01-1	<60%	200-002-3	Listed
Hexadecan-1-yl(trime thyl)ammonium chloride	112-02-7	0.1-5%	203-928-6	Not listed

# Well 2 : PK solution

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
Trade secret	-	-	-	-

## Well 3 : Carrier solution

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
Trade secret	-	-	-	-

### Well 4 : Magnetic particles

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
Trade secret	-	-	-	-

## Well 5 : Binding buffer

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
2-propanol	67-63-0	40-80 %	200-661-7	Listed
Dodecyl sodium sulfate	151-21-3	<1%	205-778-1	Listed

## Well 6 : Wash buffer 1

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
2-propanol	67-63-0	40-80 %	200-661-7	Listed
Dodecyl sodium sulfate	151-21-3	<1%	205-778-1	Listed

## Well 7 : Wash buffer 2

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
2-propanol	67-63-0	40-80 %	200-661-7	Listed

### Well 8 : Distilled water

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
Water	7732-18-5	100%	231-791-2	Listed

Precision	System Science Co.,Ltd.		
Code :	E1300	MSDS No. :	MSDS-E1300-E-03

## 4. FIRST AID MEASURES

GENERAL ADVICE :Wash off immediately with soap and plenty of water. In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit. Use personal protective equipment.

INHALATION :	Move victim to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, administer artificial respiration. Maintain normal body temperature with a blanket. If irritation persists, transport to a hospital immediately.
SKIN CONTACT	:Remove contaminated clothes and shoes, rinse skin with plenty of water or shower. Use soap to help assure removal. If irritation persists, consult a physician.
EYE CONTACT :	Remove any contact lenses at once. Flush eyes well with flooding amounts of running water for at least 15 minutes. Assure adequate flushing by separating the eyelids with sterile fingers. If irritation persists, consult a physician.
INGESTION :	Rinse mouth, give plenty of water to dilute the substance. Never give anything by mouth to an unconscious person. Transport to a hospital immediately.

# **5. FIRE FIGHTING MEASURES**

EXTINGUISHING MEDIA :	Carbon dioxide, dry chemical powder, alcohol resistant foam, water
FIRE & EXPLOSION HAZARDS :	Flammable liquid. Hazardous toxic and irritating fumes or smoke may be emitted. Vapors may travel considerable distance to ignition source and flash back.
SPECIAL PROTECTIVE EQUIPMENT FOR	FIREFIGHTERS :Firemen should wear normal protective equipment (full bunker gear) and positive-pressure self-contained breathing apparatus.

## 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS :	Remove ignition sources and ventilate the area. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes.
ENVIRONMENTAL PRECAUTIONS METHODS FOR CLEANING UP :	<ul> <li>S: Prevent spills from entering sewers, watercourses or low areas.</li> <li>Do not touch spilled material without suitable protection (See section 8).</li> <li>Take up spilled material with ashes or other absorbents. After material is completely picked up, wash the spill site with soap and water and ventilate the area. Put all wastes in a plastic bag for disposal and seal it tightly.</li> <li>Remove, clean, or dispose of contaminated clothing.</li> </ul>

## 7. HANDLING AND STORAGE

PRECAUTION FOR SAFE HANDLING	:Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated
	exposure. Handle material with suitable protection away from source of
	heat or ignition and use non-sparking type tools.
CONDITIONS FOR SAFE STORAGE :	Store away from sunlight in well-ventilated dry place at room temperature
	(preferably cool place). Keep container tightly closed.
INCOMPATIBILITIES :	Bases, oxidizers, reducing agents

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES :	Use exhaust ventilation to keep airborne concentrations below exposure limits. Use only with adequate ventilation.
VENTILATION :	Local Exhaust ; Necessary, Mechanical(General) ; Recommended
INDIVIDUAL PROTECTION MI	EASURES ;
Respiratory protection :	Use a NIOSH/MSHA or European Standard EN149 approved respirator if the vapor concentrations exceed regulatory guidelines.
Hand protection :	Chemical resistant gloves
Eye protection :	Safety glasses(goggles)
Skin protection :	Protective clothing
CONTROL PARAMETER : OSHA Final Limits : No	t available
ACGIH TLV(s): No	t available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOUR :

pH : MELTING POINT : INITIAL BOILING POINT : FLASH POINT : FLAMMABILITY (solid, gas) : EXPLOSIVE LIMITS : VAPOR PRESSURE : VAPOR DENSITY : RELATIVE DENSITY : SOLUBILITY IN WATER

PARTITION COEFFICIENT : AUTOIGNITION TEMPERATURE : DECOMPOSITION TEMPERATURE :

Suspension of blown polymer particles in aqueous solutions (Well No.4) All plastic packaging contain clear, aqueous solutions (Others) 5.0-8.0 Not available  $80.6^\circ\!C\,(\text{Well No.5})$  ,  $80.8^\circ\!C\,(\text{Well No.6})$  ,  $81.4^\circ\!C\,(\text{Well No.7})$ 19.0°C (Well No.5) , 21.4°C (Well No.6) , 23.4°C (Well No.7) Not available Not available Not available Not available Not available Refractoriness (Well No.4) Miscible (others) Not available Not available Not available

#### **10. STABILITY AND REACTIVITY**

CHEMICAL STABILITY : CONDITIONS TO AVOID : INCOMPATIBILE MATERIALS : Stable under recommended storage conditions. (Well No.2, No.3) Sunlight, heat, moisture (Well No.2, No.3) Oxidizers, acetic anhydride, calcium oxychloride, chromium oxides, alkali metal hydrides (Well No.2, No.3) Carbon monoxide and corrosive gas (acrolein) may be formed. (Well No.2, No.3)

HAZARDOUS DECOMPOSITION PRODUCTS :

#### **11. TOXICOLOGICAL INFORMATION**

Well No.1 Lysis Solution as Guanidine hydrochloride		
ACUTE TOXICITY DATA :	LD50(oral, rat): 475 mg/kg(NTIS** AD-A165-747)	
	LD50(oral, mouse): 571 mg/kg(ATDAE1 12, 598, 1993)	
IRRITATION DATA :	LD50(ipr, mouse): 500 mg/kg(NTIS** AD277-689) Skin; rabbit; 500 mg/24H; Severe(NTIS** AD-A166-306)	
	Eye; rabbit; 81,400 µg; Moderate(NTIS** AD-A184-068)	
MUTATION DATA :	Mutation in microorganisms; S.cerevisiae; 4 mmol/L(BBRCA9 53, 531, 1973)	
REPRODUCTIVE EFFECTS DATA	Not available	
TUMORIGENIC DATA :	Not available	
Well No.5,6, and 7 as 95% sodium c	lodecyl sulfate	
ACUTE TOXICITY DATA :	LD50(oral, rat): 1288 mg/kg(FCTXAV 5, 763, 1967) LC50(Inhalation ihl, rat): 3900 mg/m3/1H(BIOFX* 23-3/1971)	
IRRITATION DATA :	Eye; rabbit; 100 mg/24H; Moderate(28ZPAK -,305,72)	
	Skin; rabbit; 50 mg/24H; Severe (BIOFX* 23-3/71)	
MUTATION DATA :	Eye; human; 0.5 %/47H; Mild(JIDEAE 11, 474, 1984) DNA repair; E.coli; 12500 nl/well(MUREAV 158, 19, 1985)	
MUTATION DATA .	DNA lepair, E.coli, 12500 li/wei(MOREAV 156, 19, 1965) DNA damage; rat; liver; 243 µmol/L(EMMUEG 24, 181, 1994)	
REPRODUCTIVE EFFECTS DATA	1 TDLo (skin, mouse): 480 ma/ka(6-17 D prea)(TRENAF 27, 113, 1976)	
TUMORIGENIC DATA :	Not available	
ADDITIONAL INFORMATION ;		
NTP: Not listed		
IARC : Not listed		
OSHA : Not listed		
ACGIH :Not listed		
Well 5, 6, 7 as 100 % 2-propanol		
ACUTE TOXICITY DATA :	LD50(oral, mouse): 3600 mg/kg LD50(oral, rabbit): 571 mg/kg(ATDAE1 12, 598, 1993)	
	LD50(ipr, mouse): 500 mg/kg(NTIS** AD277-689)	
IRRITATION DATA :	Skin; rabbit; 12800 mg/24H	

Precision System Science Co.,Ltd. Code : E1300

MSDS-E1300-E-03

### **12. ECOLOGICAL INFORMATION**

ECOTOXICITY :	Not available
PERSISTENCE AND DEGRADABILITY :	Not available.
BIOACCUMULATION POTENTIAL :	Not available
MOBILITY IN SOIL :	Not available
OTHER ADVERSE EFFECTS :	Not available

#### 13. DISPOSAL CONSIDERATION (INCLUDING CONTAINER)

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber in accordance with all applicable regulations. Any disposal practice must be in compliance with country, local, state, and federal laws and regulations ( contact country, local or state environmental agency for specific rules ).

After contents are completely removed, dispose of its container at hazadous or special waste collection point. (in accordance with local/regional/national/international regulation).

MSDS No. :

### **14. TRANSPORT INFORMATION**

2-propanol (Isopropanol)	
IATA :	1219
Transport hazard class	3
Packaging group	II
Environmental hazard	No
UN Number	UN1219
onthambol	OITIE10

#### **15. REGULATORY INFORMATION**

Chemical Test Rules 40	fective 12/15/86, Sunset 12/15/96 CFR 799.2325 mediate, delayed, fire.
Hazard Symbols:	XI F
Risk Phrases:	R 11 Highly flammable.
	R 36 Irritating to eyes.
	R 67 Vapors may cause drowsiness and dizziness.
Safety Phrases:	S 16 Keep away from sources of ignition - No smoking.
	S 24/25 Avoid contact with skin and eyes.
	S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	S 7 Keep container tightly closed.
WGK (Water anger/Protection)	1

# 16. OTHER INFORMATION INCLUDING INFORMATION ON PREPARATION AND REVISION OF THE SDS

Reference

Siyaku.comhttp://www.siyaku.com/

European Chemicals Bureau http://ecb.jrc.ec.europa.eu/

Registry of Toxic Effects of Chemical Substances NIOSH(1985-1986)

The above information is believed to be correct to be the best of our knowledge and information but does not purport to be all inclusive and shall be used only as a guide. This product is intended to be used by expert persons having chemical knowledge and skill, at their own discretion and risk and PSS shall not be held liable for any damage resulting from handling or from contact with the above material.