Issue date: 2018/11/19

Code : E1320

MATERIAL SAFETY DATA SHEET

IDENTITY: MagDEA Dx MV

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

PRODUCT NAME : MagDEA Dx MV

MANUFACTURER: Precision System Science Co.,Ltd.

Address : 88, Kamihongou, Matsudo-shi, Chiba 271-0064 JAPAN

Telephone Number:

For Information : +81-47-303-4801 Emergency : +81-47-303-4800 E-Mail : <u>service@pss.co.jp</u> MSDS No. : MSDS-E1320-E-01

2. HAZARDS IDENTIFICATION

Well	REAGENT	SINGLE/	GHS C	LASSIFICATION			
No.	NAME	MIXTURE	Class	Category	Symbol	H-Code	
			Flammable liquids	2		H225	
			Serious eye damage / eye	2		H319	
			irritation		X		
1	D: !: ! #	Mixture	Reproductive toxicity	2		H361	
•	Binding buffer	Mixture	Specific target organ systemic	1, 3		H370, H335	
			toxicity - single exposure		X		
			Specific target organ systemic	1, 2		H372, H373	
			toxicity - Repeated exposure				
2	PK solution	Mixture	Not classifiable	-	-	-	
3	Carrier solution	Mixture	Not classifiable	-	-	-	
4	Magnetic	Mixture	Not classifiable	-	-	-	
	beads						
			Flammable liquids	2	J.	H225	
			Serious eye damage / eye	2	<u>E3</u>	H319	
			irritation		X		
5	Binding buffer	Mixture	Reproductive toxicity	2	11)	H361	
	Diriding build		Specific target organ systemic	1, 3		H370, H335	
			toxicity - single exposure	X			
			Specific target organ systemic	1, 2		H372, H373	
			toxicity - Repeated exposure				

Code : E1320

MSDS No. :

MSDS-E1320-E-01

			Flammable liquids	2		H225
			Serious eye damage / eye	2	(M)	H319
			irritation			
6			Reproductive toxicity	2		H361
6,	Wash buffer 1	Mixture	Specific target organ systemic	1, 3		H370, H335
			toxicity - single exposure		X	
			Specific target organ systemic	1, 2		H372, H373
			toxicity - Repeated exposure			
			Flammable liquids	2		H225
			Serious eye damage / eye	2		H319
		Mixture	irritation			
7			Reproductive toxicity	2		H361
'	Wash buffer 2		Specific target organ systemic	1, 3		H370, H335
			toxicity - single exposure		X	
			Specific target organ systemic	1, 2		H372, H373
			toxicity - Repeated exposure			
8	Distilled water	Single	Not classifiable	-	-	-
			Acute toxicity (oral)	4	•	H302
			Skin corrosion/ irritation	2		H315
		on Mixture	Serious eye damage / eye	2	\ •/	H319
9	Lysis Solution		irritation		X	
	Lysis Sulution	III.Atai C	Specific target organ systemic	3	¥	H335
			toxicity - single exposure		\	
			Hazardous to the aquatic	1		H400, H410
			environment			

SIGNAL WORD: Danger HAZARD STATEMENTS:

Highly flammable liquid and vapour

Causes serious eye irritation

Suspected of damaging fertility or the unborn child

Causes damage to organs

May cause respiratory irritation

Causes damage to organs through prolonged or repeated exposure

May cause damage to organs through prolonged or repeated exposure

Harmful if swallowed

Causes skin irritation

Very toxic to aquatic life

Very toxic to aquatic life with long-lasting effects

Code : E1320

MSDS No. :

MSDS-E1320-E-01

PRECAUTIONARY STATEMENTS:

Well No.	REAGENT NAME	SINGLE/ MIXTURE	P-code	Precautionary statement
1, 5, 6, 7	Binding buffer Binding buffer Wash buffer 1 Wash buffer 2	Mixture	P201 P202 P210 P233 P240 P241 P242 P243 P260 P261 P264 P270 P271 P280 P303+P361+ P353 P304+P340 P305+P351+ P338 P308+P311 P308+P313 P312 P314 P321 P337+P313 P370+P378 P403+P235 P405	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Call a POISON CENTER/doctor/physician. IF exposed or concerned: Get medical advice/attention. Call a POISON CENTER or doctor/physician if you feel unwell. Specific treatment. If eye irritation persists: Get medical advice/attention. In case of fire: Use carbon dioxide, foam, dry chemical and water fog to extinction. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool.
			P501	Dispose of contents/container according to national regulation.
			P261 P264	Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling.
9	Lysis Solution	Mixture	P270 P271 P273 P280	Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
			P301+P312 P302+P352	IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P304+P340	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P305+P351+ P338	Call a POISON CENTER or doctor/physician if you feel unwell.
P312	Specific treatment.
P321	Rinse mouth.
P330	If skin irritation occurs: Get medical advice/attention.
P332+P313	If eye irritation persists: Get medical advice/attention.
P337+P313	Take off contaminated clothing.
P362	Collect spillage.
P391	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Dispose of contents/container according to national regulation.
P501	Avoid breathing dust/fume/gas/mist/vapours/spray.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Well 1 : Binding buffer

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
2-propanol	67-63-0	40-80 %	200-661-7	Listed
Dodecyl sodium sulfate	151-21-3	<1%	205-778-1	Listed

Well 2 : PK solution

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
Trade secret	-	_	-	-

Well 3 : Carrier solution

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
Trade secret	-	-	-	-

Well 4: Magnetic particles

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
Trade secret	-	-	-	-

Well 5 : Binding buffer

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
2-propanol	67-63-0	40-80 %	200-661-7	Listed
Dodecyl sodium sulfate	151-21-3	<1%	205-778-1	Listed

Code: E1320

MSDS No.:

MSDS-E1320-E-01

Well 6: Wash buffer 1

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
2-propanol	67-63-0	40-80 %	200-661-7	Listed
Dodecyl sodium sulfate	151-21-3	<1%	205-778-1	Listed

Well 7: Wash buffer 2

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
2-propanol	67-63-0	40-80 %	200-661-7	Listed

Well 8 : Distilled water

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
Water	7732-18- 5	100%	231-791-2	Listed

Well 9: Lysis Solution

CHEMILCAL IDENTIT	CAS No.	Content (%)	EINECS No.	TSCA (Listed or not Listed)
Guanidine Hydrochloride	50-01-1	<60%	200-002-3	Listed
Hexadecan-1- yl(trimethyl)ammoniu m chloride	112-02-7	0.1-5%	203-928-6	Not listed

4. FIRST AID MEASURES

GENERAL ADVICE :Wash off immediately with soap and plenty of water. In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit. Use personal protective equipment.

INHALATION: Move victim to fresh air. If breathing is difficult, give oxygen. If breathing has stopped,

administer artificial respiration. Maintain normal body temperature with a blanket. If irritation

persists, transport to a hospital immediately.

SKIN CONTACT :Remove contaminated clothes and shoes, rinse skin with plenty of water or shower. Use soap

to help assure removal. If irritation persists, consult a physician.

EYE CONTACT: Remove any contact lenses at once. Flush eyes well with flooding amounts of running water for

at least 15 minutes. Assure adequate flushing by separating the eyelids with sterile fingers. If

irritation persists, consult a physician.

INGESTION: Rinse mouth, give plenty of water to dilute the substance. Never give anything by mouth to an

unconscious person. Transport to a hospital immediately.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA:

FIRE & EXPLOSION HAZARDS:

Carbon dioxide, dry chemical powder, alcohol resistant foam, water

Flammable liquid. Hazardous toxic and irritating fumes or smoke may be emitted. Vapors may travel considerable distance to ignition source and flash back.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS: Firemen should wear normal protective

equipment(full bunker gear)and positive-pressure

self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Remove ignition sources and ventilate the area. In case of insufficient

ventilation, wear suitable respiratory equipment. Avoid contact with skin and

eyes.

ENVIRONMENTAL PRECAUTIONS : Prevent spills from entering sewers, watercourses or low areas.

METHODS FOR CLEANING UP: Do not touch spilled material without suitable protection(See section 8).

Take up spilled material with ashes or other absorbents. After material is completely picked up, wash the spill site with soap and water and ventilate the area. Put all wastes in a plastic bag for disposal and seal it tightly.

Remove, clean, or dispose of contaminated clothing.

7. HANDLING AND STORAGE

PRECAUTION FOR SAFE HANDLING : Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated

exposure. Handle material with suitable protection away from source of

heat or ignition and use non-sparking type tools.

CONDITIONS FOR SAFE STORAGE: Store away from sunlight in well-ventilated dry place at room temperature (preferably cool place). Keep container tightly closed.

INCOMPATIBILITIES: Bases, oxidizers, reducing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES: Use exhaust ventilation to keep airborne concentrations below exposure limits. Use

only with adequate ventilation.

VENTILATION: Local Exhaust; Necessary, Mechanical(General); Recommended

INDIVIDUAL PROTECTION MEASURES;

Respiratory protection : Use a NIOSH/MSHA or European Standard EN149 approved respirator if the vapor

concentrations exceed regulatory guidelines.

Hand protection:

Eye protection:

Safety glasses(goggles)

Skin protection:

Protective clothing

CONTROL PARAMETER:

OSHA Final Limits : Not available ACGIH TLV(s) : Not available

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOUR: Suspension of blown polymer particles in aequeous solutions (Well No.4)

All plastic packagings contain clear, aequeous solutions (Others)

pH: 5.0-8.0
MELTING POINT: Not available

INITIAL BOILING POINT: 80.6°C (Well No.1&5), 80.8°C (Well No.6), 81.4°C (Well No.7)
FLASH POINT: 19.0°C (Well No.1&5), 21.4°C (Well No.6), 23.4°C (Well No.7)

FLAMMABILITY (solid, gas):

EXPLOSIVE LIMITS:

VAPOR PRESSURE:

VAPOR DENSITY:

Not available

Not available

RELATIVE DENSITY:

Not available

SOLUBILITY IN WATER Refractoriness (Well No.4)

Miscible (others)

PARTITION COEFFICIENT: Not available AUTOIGNITION TEMPERATURE: Not available DECOMPOSITION TEMPERATURE: Not available

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under recommended storage conditions.

CONDITIONS TO AVOID: Sunlight, strong oxidizer, reducing agent (Well No.9)

INCOMPATIBILE MATERIALS : Oxidizers, acetic anhydride, calcium oxychloride, chromium oxides,

alkali metal hydrides (Well No.9)

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide and corrosive gas (acrolein) may be formed. (Well

No.1, No.5, No.6, No.9)

11. TOXICOLOGICAL INFORMATION

Well No.1,5 and 6 as 95% sodium dodecyl sulfate

ACUTE TOXICITY DATA: LD50(oral,rat): 1288 mg/kg(FCTXAV 5, 763, 1967)

LC50(Inhalation ihl,rat): 3900 mg/m3/1H(BIOFX* 23-3/1971)

IRRITATION DATA : Eye; rabbit; 100 mg/24H; Moderate(28ZPAK -,305,72)

Skin; rabbit; 50 mg/24H; Severe (BIOFX* 23-3/71)

Eye; human; 0.5 %/47H; Mild(JIDEAE 11, 474, 1984)

MUTATION DATA : DNA repair; E.coli; 12500 nl/well(MUREAV 158, 19, 1985)

DNA damage; rat; liver; 243 µmol/L(EMMUEG 24, 181, 1994)

REPRODUCTIVE EFFECTS DATA :TDLo(skin, mouse): 480 mg/kg(6-17 D preg)(TRENAF 27, 113, 1976)

TUMORIGENIC DATA : Not available

ADDITIONAL INFORMATION;

NTP: Not listed IARC: Not listed OSHA: Not listed ACGIH: Not listed

MUTATION DATA

Well No.1,5,6 and 7 as 100 % 2-propanol

ACUTE TOXICITY DATA: LD50(oral,mouse): 3600 mg/kg

LD50(oral,rabbit): 571 mg/kg(ATDAE1 12, 598, 1993)

LD50(ipr,mouse): 500 mg/kg(NTIS** AD277-689)

IRRITATION DATA: Skin; rabbit; 12800 mg/24H

Well No.9 Lysis Solution as Guanidine hydrochloride

ACUTE TOXICITY DATA: LD50(oral,rat): 475 mg/kg(NTIS** AD-A165-747)

LD50(orl,mouse): 571 mg/kg(ATDAE1 12, 598, 1993) LD50(ipr,mouse): 500 mg/kg(NTIS** AD277-689) Skin; rabbit; 500 mg/24H; Severe(NTIS** AD-A166-306)

IRRITATION DATA : Skin; rabbit; 500 mg/24H; Severe(NTIS** AD-A166-306) Eye; rabbit; 81,400 µg; Moderate(NTIS** AD-A184-068)

Eye; rabbit; 81,400 μg; Moderate(NTIS** AD-A184-068)
Mutation in microorganisms; S.cerevisiae; 4 mmol/L(BBRCA9 53, 531, 1973)

REPRODUCTIVE EFFECTS DATA :Not available TUMORIGENIC DATA : Not available

12. ECOLOGICAL INFORMATION

ECOTOXICITY: Not available PERSISTENCE AND DEGRADABILITY: Not available. BIOACCUMULATION POTENTIAL: Not available MOBILITY IN SOIL: Not available OTHER ADVERSE EFFECTS: Not available

13. DISPOSAL CONSIDERATION (INCLUDING CONTAINER)

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber in accordance with all applicable regulations. Any disposal practice must be in compliance with country, local, state, and federal laws and regulations (contact country, local or state environmental agency for specific rules).

After contents are completely removed, dispose of its container at hazadous or special waste collection point. (in accordance with local/regional/national/international regulation).

14. TRANSPORT INFORMATION

2-propanol (Isopropanol)

IATA: 1219
Transport hazard class 3
Packaging group II
Environmental hazard No
UN Number UN1219

15. REGULATORY INFORMATION

As 2-propanol (CAS# 67-63-0)

US REGULATIONS;

Health & Safety Reporting ListEffective 12/15/86, Sunset 12/15/96

Chemical Test Rules 40 CFR 799.2325 SARA Codes immediate, delayed, fire.

EU REGULATIONS;

Hazard Symbols: XI F

Risk Phrases: R 11 Highly flammable.

R 36 Irritating to eyes.

R 67 Vapours may cause drowsiness and dizziness.

Safety Phrases: S 16 Keep away from sources of ignition - No smoking.

S 24/25 Avoid contact with skin and eyes.

S 26 In case of contact with eyes, rinse immediately with plenty of

water and seek medical advice. S 7 Keep container tightly closed.

WGK (Water anger/Protection) 1

16. OTHER INFORMATION INCLUDING INFORMATION ON PREPARATION AND REVISION OF THE SDS

Reference

Siyaku.comhttp://www.siyaku.com/

European Chemicals Bureau http://ecb.jrc.ec.europa.eu/ Registry of Toxic Effects of Chemical Substances NIOSH(1985-1986)

The above information is believed to be correct to be the best of our knowledge and information but does not purport to be all inclusive and shall be used only as a guide. This product is intended to be used by expert persons having chemical knowledge and skill, at their own discretion and risk and PSS shall not be held liable for any damageresulting from handling or from contact with the above material.